

Page 1/8

Safety data sheet

according to UK REACH

Printing date 13.06.2025

Version number 8 (replaces version 7)

Revision: 13.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Maintenance Oil

Article number: 2645, 2647, 2650 2652-56, 110025-110028

 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 Application of the substance / the mixture Wood treatment

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Remmers GmbH Bernhard-Remmers-Str. 13 D-49624 Löningen / Germany Tel.: +49(0)5432/83-0 Fax: +49(0)5432/3985 Information department: fon +44 (0) 333 034 8126 Email: remmers.sales.uk@remmers.com

Remmers (UK) Limited Suites 1 & 2 · The Gardens · Coleshill Manor Office Campus South Drive · Coleshill · Birmingham · B46 1DL fon +44 (0) 333 034 8126

1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number: within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008 Void
Hazard pictograms Void
Signal word Void
Hazard statements Void
Additional information:
EUH066 Repeated exposure may cause skin dryness or cracking.
EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

Attention please! This product may cause a self ignition of the material, such as brushes or textiles, if contaminated with the product. Those materials and textiles should be dipped into water after use and before waste treatment. Do not use this product in application cabins, if there are NC - or PUR-coatings are used too, because retarded self-ignitions are possible!

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties Not applicable.

Page 2/8

Safety data sheet

according to UK REACH Version number 8 (replaces version 7)

Revision: 13.06.2025

Trade name Maintenance Oil

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Printing date 13.06.2025

Description: Mixture of the substances listed below with harmless additions.

| Dangerous components [% w/w]: | | | | |
|--|---|--|--|--|
| hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics Asp. Tox. 1, H304, EUH066 | ≥70-≤85% | | | |
| titanium dioxide Carc. 2, H351 | ≥2.5-<5% | | | |
| 2-ethylhexan-1-ol Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335; Aquatic Chronic 3, H412 ATE: LC50/4 h inhalative: 11 mg/l | ≥0.1-≤0.25% | | | |
| propylene glycol substance with a Community workplace exposure limit | ≥0.1-≤0.25% | | | |
| | hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromaticsAsp. Tox. 1, H304, EUH066titanium dioxideCarc. 2, H3512-ethylhexan-1-olAcute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335; Aquatic Chronic 3, H412ATE: LC50/4 h inhalative: 11 mg/lpropylene glycol substance with a Community workplace exposure | | | |

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation Seek medical treatment in case of complaints.

After skin contact If skin irritation continues, consult a doctor.

After eye contact Rinse opened eye for several minutes under running water.

After swallowing Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Headache

Dizziness

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents Foam Fire-extinguishing powder Water spray jet For safety reasons unsuitable extinguishing agents not relevant 5.2 Special hazards arising from the substance or mixture May be released in case of fire Carbon monoxide (CO) Carbon dioxide 5.3 Advice for firefighters Protective equipment: Wear self-contained breathing apparatus. Additional information Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources

Ensure adequate ventilation

6.2 Environmental precautions: Do not allow to enter the ground/soil.

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable containers.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

according to UK REACH Version number 8 (replaces version 7)

Revision: 13.06.2025

(Contd. of page 2)

Trade name Maintenance Oil

Printing date 13.06.2025

6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Use only in well ventilated areas. **Information about protection against explosions and fires:** Fumes can combine with air to form an explosive mixture.

7.2 Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and containers: No special requirements.
Information on storage in a common storage facility: none
Further information about storage conditions:
Store container in a well ventilated position.
Protect from frost.
7.3 Specific end use(s) not relevant

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

| CAS: 13463-67-7 titanium dioxide |
|--|
| WEL Long-term value: 10* 4** mg/m ³ *total inhalable **respirable |
| CAS: 104-76-7 2-ethylhexan-1-ol |
| WEL Long-term value: 5.4 mg/m ³ , 1 ppm |
| CAS: 57-55-6 propylene glycol |
| WEL Long-term value: 474* 10** mg/m ³ , 150* ppm |
| *total vanour and particulates **particulates |

*total vapour and particulates **particulates

Additional information: The lists that were valid during compilation were used as a basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Do not eat, drink or smoke while working. Apply solvent-resistant skin protection preparation before beginning work.

Wash hands before pauses and after work.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

Respiratory equipment: not required.

Hand protection

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

according to UK REACH Version number 8 (replaces version 7)

Revision: 13.06.2025

Trade name Maintenance Oil

Printing date 13.06.2025

(Contd. of page 3) The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Safety glasses recommended during refilling.

Body protection: Protective work clothing.

Environmental exposure controls

Use suitable containers to avoid contamination of the environment. Prevent from entering the sewage systemor into surface and ground water. Information on limiting and monitoring environmental exposure can be found in section 6 can be found in section 6.

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical and chemical | properties |
|--|------------------------------------|
| General Information | |
| Physical state | Liquid |
| Colour: | Different, according to dye |
| Odour: | Characteristic |
| Odour threshold: | Not determined. |
| Melting point/freezing point: | Not determined |
| Boiling point or initial boiling point and boiling | |
| range | Not determined |
| | |
| Flammability | Not applicable. |
| Lower and upper explosion limit | N I I I |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Flash point: | >61 °C |
| Auto-ignition temperature: | not applicable |
| Decomposition temperature: | Not determined. |
| pH | Mixture is non-soluble (in water). |
| Viscosity: | |
| Kinematic viscosity at 40 °C | 23 mm²/s (DIN 53019) |
| dynamic: | Not determined. |
| Solubility | |
| Water: | Not miscible or difficult to mix |
| | |
| Partition coefficient n-octanol/water (log value) | |
| Vapour pressure: | Not determined. |
| Density and/or relative density | |
| Density at 20 °C: | 0.82+/-0.02 g/cm ³ |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| 9.2 Other information | |
| Appearance: | |
| Form: | Fluid |
| Important information on protection of health | |
| and environment, and on safety. | |
| | Draduat is not ovalasiva |
| Explosive properties: | Product is not explosive. |
| Solvent separation test | < 3 % |
| Solvent content: | ca. 78 % |
| Change in condition | N I I I |
| Evaporation rate | Not determined. |
| Information with regard to physical hazard | |
| classes | |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| | |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| | |

Safety data sheet according to UK REACH

Printing date 13.06.2025

Version number 8 (replaces version 7)

Revision: 13.06.2025

Trade name Maintenance Oil

| | | (Contd. of page 4) |
|---------------------------------------|------|--------------------|
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit | | |
| flammable gases in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if handled and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

| LD/LC50 values that are relevant for classification: | | | | |
|---|----------|-----------------------|--|--|
| hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics | | | | |
| Oral | LD50 | >5,000 mg/kg (rat) | | |
| Dermal | LD50 | >5,000 mg/kg (rat) | | |
| Inhalative | LC50/4 h | >20 mg/l (rat) | | |
| CAS: 104-76-7 2-ethylhexan-1-ol | | | | |
| Oral | LD50 | 2,049 mg/kg (rat) | | |
| Inhalative | LC50/4 h | 11 mg/l (ATE) | | |
| CAS: 57-55-6 propylene glycol | | | | |
| Oral | LD50 | >2,200 mg/kg (rat) | | |
| Dermal | LD50 | >2,000 mg/kg (rabbit) | | |

Specific symptoms in animal assay:

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met. Sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

3 Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

according to UK REACH Version number 8 (replaces version 7)

Revision: 13.06.2025

Trade name Maintenance Oil

(Contd. of page 5)

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Printing date 13.06.2025

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Additional ecological information:

General notes: Do not allow product to reach ground water, bodies of water or sewage system.

SECTION 13: Disposal considerations

Recommendation

Liquid material remains are to be disposed of at collection facilities for old varnishes.

Hardened material can be disposed of as building rubble.

Attention please! This product may cause a self ignition of the material, such as brushes or textiles, if contaminated with the product. Those materials and textiles should be dipped into water after use and before waste treatment. Do not use this product in application cabins, if there are NC - or PUR-coatings are used too, because retarded self-ignitions are possible!

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

European waste catalogue

08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations. Packaging can be reused or recycled after cleaning.

| SECTION 14: Transport information | | |
|--|--|--|
| 14.1 UN number or ID number ADR, ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA Class | Void | |
| 14.4 Packing group ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: Marine pollutant: | No | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Maritime transport in bulk according to IMO instruments Not applicable. | | |
| Transport/Additional information: | Not a hazardous good according to the above regulations. | |
| UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

(Contd. on page 7)

according to UK REACH

Printing date 13.06.2025

Version number 8 (replaces version 7)

Revision: 13.06.2025

Trade name Maintenance Oil

(Contd. of page 6)

Regulated poisons None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

Relevant phrases

- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- Harmful if inhaled. H332
- May cause respiratory irritation. H335
- H351 Suspected of causing cancer.
- H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008

Calculation method

On basis of test data

Department issuing data specification sheet: Product Safety department / EHS Date of previous version: 07.12.2022

Version number of previous version: 7

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Page 8/8

Safety data sheet

according to UK REACH

Printing date 13.06.2025

Version number 8 (replaces version 7)

Revision: 13.06.2025

(Contd. of page 7)

Trade name Maintenance Oil

* Data compared to the previous version altered.

This document replaces all previous versions. The information in this safety data sheet corresponds to our current state of knowledge and complies with national and EU legislation. However, the given working conditions of the user are beyond our knowledge and control. The product must not be used for purposes other than those specified in section 1 without written authorization. The user is responsible for compliance with all necessary legal regulations. The information in this safety data sheet describes the safety requirements of our product and does not constitute a guarantee of product properties. We accept no liability for errors in the printed form.